



INLINE STATIC MIXERS

For Ozone Systems

HEADWORKS
BIOLOGY
SEPARATION
MEMBRANE
▶ DISINFECTION
BIOSOLIDS
SYSTEMS




OZONE

PROPER MIXING


SPA

SWIMMING POOL


▶ Ancillary Products



MODEL No	A = PIPE N.B.		B = LENGTH MM	FLOWRATE M3/HR VELOCITY 2 M/SEC	PRESSURE DROP PSI	FLOWRATE M3/HR VELOCITY 3 M/SEC	PRESSURE DROP PSI
	MM	INCHES					
SM1/2/P	25	1"	177	3.6	1.5	5.3	3.5
SM1.5/2/P	40	1 1/2"	231	9	1.5	14.5	3.5
SM2/2/P	50	2"	275	15	1.5	21.5	3.5



MODEL No	A = PIPE N.B.		B = LENGTH MM	FLOWRATE M3/HR VELOCITY 2 M/SEC	PRESSURE DROP PSI	FLOWRATE M3/HR VELOCITY 3 M/SEC	PRESSURE DROP PSI
	MM	INCHES					
SM3/2/P	90	3"	260	36	1.4	55	2.1
SM4/2/P	110	4"	325	57	1.4	85	2.1
SM6/2/P	160	6"	465	135	1.4	190	2.1



MODEL No	A = PIPE N.B.		B = LENGTH MM	FLOWRATE M3/HR VELOCITY 2 M/SEC	PRESSURE DROP PSI	FLOWRATE M3/HR VELOCITY 3 M/SEC	PRESSURE DROP PSI
	MM	INCHES					
SM8/2/P	200	8"	628	225	0.85	340	2
SM10/2/P	250	10"	761	350	0.85	525	2
SM12/2/P	300	12"	900	500	0.85	760	2